



STEPS TO OPEN TEXAS BUSINESSES

The virus that causes COVID-19 can be spread to others by infected persons who appear to have few or no symptoms.

Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk.

Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols on the following pages, all of which will support a safe and measured reopening of Texas.

The virus that causes COVID-19 is still circulating in our communities.

We should continue to observe practices that protect everyone, including those who are most vulnerable.

Individuals, employers, employees, and customers are encouraged to review, print out, and follow the MINIMUM health protocols recommended by DSHS in the checklists on the following pages, in addition to federal and state employment laws and workplace safety standards. The DSHS minimum recommended health protocols are subject to change based on new and evolving information.

Additional information resources for businesses:

- **CDC Guidelines:** <https://www.cdc.gov/coronavirus/2019-nCoV/index.html>
- **ADA:** https://www.ada.gov/emerg_prep.html
- **OSHA:** <https://www.osha.gov/SLTC/covid-19/>



CHECKLIST FOR ALL INDIVIDUALS

Page 1 of 1

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all individuals in Texas. These minimum health protocols are not a limit on the health protocols that individuals may adopt. Individuals are encouraged to adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all Texans.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Individuals should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization.

Health protocols for individuals:

- Maintain at least 6 feet separation from other individuals not within the same household. If such distancing is not feasible, other measures such as face covering, hand hygiene, cough etiquette, cleanliness, and sanitation should be rigorously practiced.
- Self-screen before going into a business for any of the following new or worsening signs or symptoms of possible COVID-19:
 - Cough
 - Shortness of breath or difficulty breathing
 - Chills
 - Repeated shaking with chills
 - Muscle pain
 - Headache
 - Sore throat
 - Loss of taste or smell
 - Diarrhea
 - Feeling feverish or a measured temperature greater than or equal to 100.0 degrees Fahrenheit
 - Known close contact with a person who is lab confirmed to have COVID-19
- Wash or disinfect hands upon entering a business and after any interaction with employees, other customers, or items in the business.
- Consistent with the actions taken by many individuals across the state, consider wearing cloth face coverings (over the nose and mouth) when entering a business, or when within 6 feet of another person who is not a member of the individual's household. If available, individuals should consider wearing non-medical grade face masks.



CHECKLIST FOR ALL EMPLOYERS

Page 1 of 2

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all businesses choosing to operate in Texas. Employers may adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all employees and customers.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Employers should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization. Employers should also be mindful of federal and state employment laws and workplace safety standards.

Health protocols for your employees:

- Train all employees on appropriate cleaning and disinfection, hand hygiene, and respiratory etiquette.
- Screen employees before coming into the business:
 - Send home any employee who has any of the following new or worsening signs or symptoms of possible COVID-19:
 - Cough
 - Shortness of breath or difficulty breathing
 - Chills
 - Repeated shaking with chills
 - Muscle pain
 - Headache
 - Sore throat
 - Loss of taste or smell
 - Diarrhea
 - Feeling feverish or a measured temperature greater than or equal to 100.0 degrees Fahrenheit
 - Known close contact with a person who is lab confirmed to have COVID-19
 - Do not allow employees with the new or worsening signs or symptoms listed above to return to work until:
 - In the case of an employee who was diagnosed with COVID-19, the individual may return to work when all three of the following criteria are met: at least 3 days (72 hours) have passed



ALL EMPLOYERS: Page 2 of 2

since recovery (resolution of fever without the use of fever-reducing medications); and the individual has improvement in respiratory symptoms (e.g., cough, shortness of breath); and at least 7 days have passed *since symptoms first appeared*; or

- In the case of an employee who has symptoms that could be COVID-19 and does not get evaluated by a medical professional or tested for COVID-19, the individual is assumed to have COVID-19, and the individual may not return to work until the individual has completed the same three-step criteria listed above; or
 - If the employee has symptoms that could be COVID-19 and wants to return to work before completing the above self-isolation period, the individual must obtain a medical professional’s note clearing the individual for return based on an alternative diagnosis.
- Do not allow an employee with known close contact to a person who is lab-confirmed to have COVID-19 to return to work until the end of the 14 day self-quarantine period from the last date of exposure (with an exception granted for healthcare workers and critical infrastructure workers).
- Have employees wash or sanitize their hands upon entering the business.
- Have employees maintain at least 6 feet separation from other individuals. If such distancing is not feasible, other measures such as face covering, hand hygiene, cough etiquette, cleanliness, and sanitation should be rigorously practiced.
- If an employer provides a meal for employees, employers are recommended to have the meal individually packed for each employee.
- Consistent with the actions taken by many employers across the state, consider having all employees wear cloth face coverings (over the nose and mouth). If available, employees should consider wearing non-medical grade face masks.

Health protocols for your facilities:

- Regularly and frequently clean and disinfect any regularly touched surfaces, such as doorknobs, tables, chairs, and restrooms.
- Disinfect any items that come into contact with customers.
- Make hand sanitizer, disinfecting wipes, soap and water, or similar disinfectant readily available to employees and customers.
- Place readily visible signage at the business to remind everyone of best hygiene practices.



CHECKLIST FOR RETAILERS

Page 1 of 3

As outlined in Governor Abbott’s executive order GA-18, non-essential retailers may operate up to 25% of the total listed occupancy. In addition, non-essential retailers may operate through pickup, delivery by mail, or delivery to the customer’s doorstep. Shopping malls may operate at up to 25% of the total listed occupancy of the shopping mall, but shopping mall food court dining areas, play areas, and interactive displays and settings must remain closed.

In accordance with Governor Abbott’s executive order GA-18, the following are the minimum recommended health protocols for all retailers choosing to operate in Texas. Retailers may adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all employees and customers.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Retailers should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization. Retailers should also be mindful of federal and state employment laws and workplace safety standards.

Health protocols for serving your customers:

- Retailers are encouraged to consider dedicating a certain period of time each day for only at-risk customers¹ or deliver purchased goods to vehicles to reduce the need for at-risk customers to enter the store.
- If practical, monitor what items customers touch to clean or disinfect when the customer leaves the retail establishment.
- Contactless payment is encouraged. Where not available, contact should be minimized.

¹ At-risk customers are those who are 65 or older, especially those with chronic lung disease; moderate to severe asthma; chronic heart disease; severe obesity; diabetes; chronic kidney disease undergoing dialysis; liver disease; or weakened immune system

MINIMUM STANDARD HEALTH PROTOCOLS



RETAILERS: Page 2 of 3

Health protocols for your retail employees:

- Train all employees on appropriate cleaning and disinfection, hand hygiene, and respiratory etiquette.
- Screen employees before coming into the retailer:
 - Send home any employee who has any of the following new or worsening signs or symptoms of possible COVID-19:
 - Cough
 - Shortness of breath or difficulty breathing
 - Chills
 - Repeated shaking with chills
 - Muscle pain
 - Headache
 - Sore throat
 - Loss of taste or smell
 - Diarrhea
 - Feeling feverish or a measured temperature greater than or equal to 100.0 degrees Fahrenheit
 - Known close contact with a person who is lab confirmed to have COVID-19
 - Do not allow employees with the new or worsening signs or symptoms listed above to return to work until:
 - In the case of an employee who was diagnosed with COVID-19, the individual may return to work when all three of the following criteria are met: at least 3 days (72 hours) have passed *since recovery* (resolution of fever without the use of fever-reducing medications); and the individual has improvement in respiratory symptoms (e.g., cough, shortness of breath); and at least 7 days have passed *since symptoms first appeared*; or
 - In the case of an employee who has symptoms that could be COVID-19 and does not get evaluated by a medical professional or tested for COVID-19, the individual is assumed to have COVID-19, and the individual may not return to work until the individual has completed the same three-step criteria listed above; or
 - If the employee has symptoms that could be COVID-19 and wants to return to work before completing the above self-isolation period, the individual must obtain a medical professional's note clearing the individual for return based on an alternative diagnosis.
 - Do not allow an employee with known close contact to a person who is lab-confirmed to have COVID-19 to return to work until the end of the 14 day self-quarantine period from the last date of exposure (with an exception granted for healthcare workers and critical infrastructure workers).
- Have employees wash or sanitize their hands upon entering the retailer.



RETAILERS: Page 3 of 3

- Have employees maintain at least 6 feet separation from other individuals. If such distancing is not feasible, other measures such as face covering, hand hygiene, cough etiquette, cleanliness, and sanitation should be rigorously practiced.
- If an employer provides a meal for employees, employers are recommended to have the meal individually packed for each employee.
- Consistent with the actions taken by many retailers across the state, consider having all employees wear cloth face coverings (over the nose and mouth). If available, employees should consider wearing non-medical grade face masks.

Health protocols for your retail facilities:

- Regularly and frequently clean and disinfect any regularly touched surfaces, such as doorknobs, tables, chairs, and restrooms.
- Disinfect any items that come into contact with customers.
- Make hand sanitizer, disinfecting wipes, soap and water, or similar disinfectant readily available to employees and customers.
- Place readily visible signage at the retailer to remind everyone of best hygiene practices.



CHECKLIST FOR RETAIL CUSTOMERS

Page 1 of 1

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all retail customers. These protocols are not a limit on the health protocols that individuals may adopt. Individuals are encouraged to adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all Texans.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Individuals should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization.

Health protocols for retail customers:

- Self-screen before going into a retailer for any of the following, and do not go into a retailer with any of the following symptoms:
 - Cough
 - Shortness of breath or difficulty breathing
 - Chills
 - Repeated shaking with chills
 - Muscle pain
 - Headache
 - Sore throat
 - Loss of taste or smell
 - Diarrhea
 - Feeling feverish or a measured temperature greater than or equal to 100.0 degrees Fahrenheit
 - Known close contact with a person who is lab confirmed to have COVID-19
- Wash or disinfect hands upon entering a retailer and after any interaction with employees, other customers, or items in the retailer.
- Maintain at least 6 feet separation from other individuals not within the same household. If such distancing is not feasible, other measures such as face covering, hand hygiene, cough etiquette, cleanliness, and sanitation should be rigorously practiced.
- Wash or sanitize hands after the payment process.
- Consistent with the actions taken by many individuals across the state, consider wearing cloth face coverings (over the nose and mouth) when entering a retailer, or when within 6 feet of another person who is not a member of the individual's household. If available, individuals should consider wearing non-medical grade face masks.